

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Tender No. NHIT/FY25-26/RFE/Sign-Boards

Request for Empanelment (“RFE”) issued by National Highways Infra Trust (NHIT) for Empanelment of Agencies/Firms for Supply & Installation of Sign Boards for the projects under SPVs of NHIT.

<u>BID SUMMARY</u>		
1.	Last date and time for receipt of Bidding Documents	10 th October 2025 up to 17:00 Hrs
2.	Date and Time of Opening of Bids	10 th October 2025 at 18:00 Hrs
3.	Place of opening of Bids	NATIONAL HIGHWAYS INFRA TRUST Unit No. 324, D21 Corporate Park, Sector-21, Dwarka, New Delhi, 110077-India

Note: Bids will be opened in the presence of bidders who choose to attend as above

NATIONAL HIGHWAYS INFRA TRUST

Unit No. 324, D21 Corporate Park, Sector 21,
Dwarka, New Delhi – 110077

Email: tender@nhit.co.in

Date of Issue: 29.09.2025

National Highways Infra Trust



Request for Empanelment of Agencies/Firms for Supply & Installation Signboards

Doc No.: NHIT/FY25-26/ RFE
/Signboards

TABLE OF CONTENTS		
SUBJECT		PAGE NO
1.	Disclaimer	3
2.	Section 1 – Notice inviting Tender	4
3.	Section 2 – Instructions to Bidders	7
4.	Section 3 – Scope of Services	15
5.	Section 4 – Form of Technical Proposal	17
6.	Section 5 – Undertakings	21

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

DISCLAIMER

The information contained in this Request for Empanelment ("RFE") or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of "NHIT-entities" by persons authorized to do so, is provided to the interested parties on the terms and conditions set out in this RFE and such other terms and conditions subject to which such information is provided.

This RFE is not an agreement and is neither an offer nor an invitation by NHIT-entities to interested parties who submit their quote (henceforth "Bidders") in response to this RFE. The purpose of this RFE is to provide Bidders with information that may be useful to them in preparing and submitting their proposals ("Proposal") for Empanelment of Agencies/Firms by National Highways Infra Trust (NHIT) for SPVs under National Highways Infra Trust.

NHIT makes no representation or warranty and shall have no liability to any person or Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFE or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the RFE and any assessment, assumption, statement or information contained herein or deemed to form part of this RFE or arising in any way from this process.

A Bidder must warrant that all the information provided by it to NHIT-entities at the time of application & subsequently, is true to the best of its knowledge and belief and especially warrants that it has duly complied with the provisions of laws applicable to it. Bidder indemnifies NHIT-entities from any liabilities arising out of error or default or negligence or contravention in regard to any of the applicable laws, including, but not limited to, submission of statutory forms & other such documents.

The issuance of this RFE does not imply that NHIT-entities are bound to select any Bidder(s) for any project/ Transaction. NHIT-entities may accept or reject any proposal in its discretion and may ask for any additional information or vary its requirements, add to or amend the terms, procedure and protocol set out in RFE for bona fide reasons, which will be notified to all the Bidders invited to tender. Further NHIT hereby reserves its right to annul the process at any time prior to issuance of Letter of Award without incurring any liability towards the Bidders.

The Bidders shall bear all costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by NHIT-entities or any other costs incurred regarding or relating to its Bid. All such costs and expenses will remain with the Bidder and neither NHIT or NHIT-entities shall be liable in any manner for the same or for any other costs or expenses incurred by a Bidders in preparation or submission of the Bid, regardless of the conduct or outcome of this RFE and the related processes.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Section 1. Notice Inviting Tender

1. The National Highways Infra Trust (hereinafter referred to as “NHIT”), invites bids from eligible parties for empanelment for Supply & Installation of Sign Boards for the projects under SPVs of NHIT.
2. Since inception, NHIT has successfully completed four rounds of monetization. Currently, NHIT’s portfolio consists of 26 road assets across 12 states, consisting of 2,345 km of national highways and 41 toll plazas.
3. NHIT envisages acquisition of approximately 500–1000 km of national highway assets annually, over the next 2 – 3 years. In view of the above, NHIT plans to empanel Agencies/Firms for Supply & Installation of Sign Boards at Highway projects under SPVs of NHIT.
4. The Agencies/Firms will be empaneled under Quality Based Selection Method as described in this RFE and in accordance with the practices of NHIT.
5. The RFE includes the following documents:
 - Section 1 – Notice Inviting Tender
 - Section 2 – Instructions to Bidders
 - Section 3 – Scope of Services
 - Section 4 – Form of Technical Proposal
 - Section 5 – Undertakings
6. The RFE will be uploaded on the website of NHIT at <https://nhit.co.in/procurement-tender/>.

7. Brief Description of Bidding Process

- a. NHIT has adopted a Single stage evaluation process for the empanelment of the Agencies/Firms i.e., the technical bid (the “Technical Bid”) containing the documents for satisfying eligibility criteria of the Bidder, shall be submitted in physical form in the prescribed format (To clarify, the documents should be serially numbered and hard/spiral bound) in the manner specified, and before the date and time specified herein.
 - b. After the submission of the Bids, each of the responsive Bidders shall be invited to make presentation of their proposal to NHIT if required. The date and time of presentations would be intimated to Bidders separately through email. The Presentation shall be made through either video- conferencing facility or in person meeting at NHIT office in New Delhi.
 - c. Only those Bidders whose Bids are found to be responsive and meeting the Minimum Eligibility Criteria (hereinafter referred to as “**Technically Qualified Bidders**”) in terms of this RFE, shall be eligible for empanelment and may be invited to participate in the Financial Bid submission process as and when NHIT or SPVs under NHIT issues an invitation. The Technically Qualified Bidders may send their authorized representatives along with authorization letters on the letter head of the bidder for participation in the opening of the Bid. Only one representative of the Bidder shall be allowed to attend the opening of the Bids.
8. Any queries or request for additional information concerning the RFE shall be submitted in writing and/or e-mail to the officer designated below. The envelope / email communication shall clearly bear the following identification/title: “Queries/ Request for Additional Information: RFE issued by NHIT for Empanelment of Agencies/Firms for Supply & Installation of Signboards for SPVs under National Highways Infra Trust, collectively referred as “NHIT-entities”.

National Highways Infra Trust



Request for Empanelment of Agencies/Firms for Supply & Installation Signboards

Doc No.: NHIT/FY25-26/ RFE
/Signboards

9. Address for Communication:

To,

Shri Sandeep Khosa

GM, Procurement (NWPPL)

SPV under NHIT,

Unit No. 324, D21 Corporate Park, Sector 21

Dwarka, New Delhi

E-mail: Tender@nhit.co.in

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

10. Schedule of Bidding Process:

The NHIT shall endeavor to adhere to the following schedule: Any changes to the following schedule shall be informed to the Bidders through Website or email communication.

S. No.	Description of Events	Date
1.	Last date for receiving queries from bidders	5 th October 2025
2.	Pre-Bid Meeting	No pre-bid meeting. The bidders have to submit their queries through email which will be replied to at NHIT website/ through email.
3.	NHIT's response to queries latest by	6 th October 2025
4.	Bid due date (Last date for bid submission)	10 th October 2025 up to 17:00 Hrs
5.	Opening of Technical Bids	10 th October 2025 at 18:00 Hrs, at NHIT Office, New Delhi
7.	Letter of Empanelment (LOE)	Will be intimated later
8.	Technical Presentation	Will be intimated later
9.	Validity of proposals	120 days from Bid Due Date

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Section 2: Instructions to the Bidders

1. Introduction:

About the company: Please refer to our website <https://nhit.co.in/>.

2. Proposal

NHIT seeks proposals for the Empanelment of Agencies/Firms for Supply & Installation Signboards for SPVs under National Highways Infra Trust, collectively referred as "NHIT-entities" as per scope of work given in Section 3 – Scope of Services of the RFE document.

3. Clarification and Amendment of RFE Documents

3.1 Bidders may request clarifications on any of the RFE documents up to the time mentioned in Section 1. Any request for clarification must be sent in writing to NHIT's address indicated in the RFE or by e-mail to Tender@nhit.co.in. NHIT will respond in writing, or by e-mail/ uploading responses on website or will send written copies of the response (including an explanation of the query but without identifying the source of inquiry) to all Bidders. Should NHIT deem it necessary to amend the RFE as a result of a clarification, it shall do so following the established procedure and inform the Bidders of the same through written communication or by uploading it on the website of NHIT.

3.2 At any time before the submission of the Bids, NHIT shall have the right to amend the RFE by issuing an addendum/ amendment in writing or by standard electronic means. The addendum/ amendment shall be uploaded on the website of NHIT at <https://nhit.co.in/> which will be binding on all Bidders. To give Bidders reasonable time for considering the addendum/ amendment in their Bids, NHIT may, if the addendum/ amendment is substantial, at its discretion, extend the deadline for the submission of Bids.

3.3 It will be the responsibility of the Bidders to keep track of any uploaded addendum/ amendment before submission of the Bid.

4. Submission of Proposal

4.1 The proposal shall be submitted as indicated below:

4.1.1 Envelope containing the Bid of the "Agencies/Firm Firms". The proposal should be in the manner and format as prescribed in RFE Section 4 – Form of Technical Proposal. Please note that proposals with any conditionality will be summarily rejected.

4.2 Proposal (i.e. the aforesaid sealed envelope marked as **"Bid – Proposal for Empanelment of Agencies/Firms by National Highways Infra Trust (NHIT) for Supply & Installation Signboards for SPVs under National Highways Infra Trust, collectively referred as "NHIT-entities"** should reach the undersigned, latest by date/time mentioned in the Section 1 – Notice inviting Tender, in hard copies/in original and shall remain valid for 120 days thereafter. The proposal should be signed by the authorized signatory of the Bidder, supported by the relevant authorization document. No Proposal will be entertained after the due time and date, as stated above. NHIT-entities shall not be responsible for any delay whatsoever in nature. The proposals received after the due date and time, will be summarily rejected.

4.3 NHIT-entities reserves the right to accept or reject any or all the offers received without assigning any reason. For any clarification, you may feel free to contact the undersigned.

5. Modification/Substitution/Withdrawal of Bids

5.1 The Bidder may substitute or withdraw its bid after submission prior to the Bid due date. No Bid shall be allowed to be substituted or withdrawn by the Bidder on or after the Bid due date.

5.2 Any alteration/modification in the Bid or additional information supplied subsequent to the Bid Due Date,

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

unless the same has been expressly sought for by NHIT-entities, shall be disregarded.

- 5.3 Partial modification of the Bid is not allowed. The Bidder will have to submit the revised bid again in a sealed envelope, as per clause 4 above, mentioning "Revised Bid" on the top of the sealed envelope and the original bid envelope will be returned to the Bidder.

6. **Opening and Evaluation of the Bids**

- 6.1 The Technical Bids will be opened after the due date at the time prescribed in this RFE document in the presence of the Bidders who choose to attend. NHIT will subsequently examine and evaluate the Bids in accordance with the provisions set out herein.
- 6.2 After the submission of Bids, each of the responsive Bidders shall be invited to make presentation of their proposal to NHIT. The date and time of presentations would be intimated to Bidders separately by NHIT through email. The Presentation shall be made either through video-conferencing facility or in person meeting at NHIT office.
- 6.3 To assist in the examination, evaluation, and comparison of Bids, NHIT may, at its discretion, ask any Bidder for clarification of its Bid. The request for clarification and the response shall be in writing or by e-mail, but no change in the price or substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by NHIT in the evaluation of the Bids.
- 6.4 The Bidders would be evaluated on the criteria mentioned in Section 4 of this RFE and shortlisted for the empanelment.
- 6.5 Except in case any clarification is asked for by NHIT, no Bidder shall contact NHIT on any matter relating to its Bid from the time of the Bid opening to the time the contract is awarded. If any Bidder wishes to bring additional information to the notice of NHIT, it should do so in writing at the address prescribed in the Notice Inviting Tender.

7. **Prior to evaluation of the Bids, NHIT shall determine as to whether each Bid is responsive to the requirements of this RFE document. A Bid will be declared non-responsive in case:**

- a. If a Bidder submits more than one Bid against this RFE.
- b. The physical bid submissions are incomplete/ inadequate to the requirements of the RFE Documents.
- c. Documents are submitted loose. (To clarify, the documents should be serially numbered and be submitted in hard bound / spiral bound).
- d. If in case the Power of Attorney or the Authority Letter is not provided.
- e. If a Bidder submits a conditional Bid or makes changes in the terms and conditions given in this RFE document.
- f. Failure to comply with all the requirements of RFE document by a Bidder.
- g. If the Bid is not submitted in the formats prescribed in the RFE document.
- h. If any requisite document/ certificate is not in the prescribed format the same shall not be considered while evaluating the bids and the same may lead to Bid being declared as non- responsive.
- i. If the envelope containing physical submission is not sealed and marked as prescribed in the RFE document.
- j. A Bid valid for a period of time shorter than prescribed in the RFE document.

8. **Conflict of Interest**

Bidders at all times shall provide professional, objective, and impartial advice and at all times hold the NHIT and SPVs under NHIT interest paramount, strictly avoid conflicts with other assignments or their own corporate

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

interests and act without any consideration for future work. No two Bidders can have same constituents or any such arrangement pursuant to which any third party is in a position to have access to confidential information of each other.

9. **Fraud and Corruption**

9.1 Bidders would be required to observe the highest standard of ethics during the selection and execution of such work. NHIT defines:

9.1.1 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the selection process or in contract execution; and

9.1.2 "Fraudulent practice" means a misrepresentation of facts in order to influence a selection process or the execution of a contract to the detriment of the NHIT and includes collusive practices among bidders (prior to or after submission of proposals) and to deprive the NHIT of the benefits of free and open competition.

9.2 NHIT will reject a proposal for empanelment/ appointment if it determines that the bidder recommended for engagement has engaged in corrupt or fraudulent activities in competing for the work in question.

9.3 NHIT will declare a bidder ineligible, either indefinitely or for a stated period of time, to be engaged if it at any time determines that the bidder has engaged in corrupt or fraudulent practices in the bidding process for engagement for the subject work.

9.4 The bidder declared ineligible for corrupt and fraudulent practices by NHIT in accordance with the above paras shall not be eligible for selection.

10. **Consortium of Bidders is not allowed**

11. **Minimum Eligibility Criteria**

11.1 Minimum 05 Years' Experience in Highways Signage work.

11.2 Cumulative Turnover for Last Three years 750 lacs (7.5 crore).

11.3 **Manpower Requirements** – Minimum 15 Employees working on Bidder's payroll.

11.4 **Number of Highway Projects completed in last 3 years** – Minimum 10 Projects.

11.5 **Authorization Compliance:** Bidder must be an authorized applicator of 3M or Orafol and comply with all statutory and safety requirements. Bidder should submit valid document supporting same. Further, Bidder is required to submit OEM authorization certificates on renewal or as and when desired by SPVs under NHIT during the period of empanelment.

11.6 The Bidder shall not be an associate of the Sponsor i.e., NHAI, or NHIIMPL or IDBI Trusteeship Services Limited.

11.7 The Bidder should have a minimum technical score of 70 marks as per evaluation criteria mentioned in Section 4 including their presentation scores. Only those bidders who score minimum 70 marks shall be considered as Technically Qualified Bidder.

12. **Dis-Qualification Criteria:**

The company may at its sole discretion and at any time during the evaluation of proposal, disqualify any respondent, if the respondent:

12.1 Submitted the proposal documents after the response deadline.

12.2 Made misleading or false representations in the forms, statements and attachments submitted in proof of the eligibility requirements.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

12.3 Failed to provide related clarifications, when sought.

12.4 Respondent or its directors declared ineligible by CPSU/ SPSU/ Government companies/ Government organizations/ regulatory authorities for corrupt and fraudulent practices or blacklisted.

13. **Technical Evaluation Criteria:**

13.1 Evaluation shall be based on the Bid submitted by the Bidders as per Section 4 – Form of Technical Proposal.

13.2 The evaluation of the Technical Proposals shall be carried out with a maximum score of 100 as per the methodology mentioned in Section 4 Form of Technical Proposal. Where Total technical score total would be computed under Section 4.

13.3 The Technical Proposal shall be submitted in physical form along with all supporting documentation/ information as mentioned along with the criteria.

13.4 The presentation need not be included in the Technical Proposal. The Presentation shall be made as per schedule communicated by NHIT and a copy of presentation to be submitted on email at the time of presentation (if required). The Bidders would be evaluated on the criteria mentioned in Section – 4 based on their Proposals received and shortlisted for the purpose of empanelment.

14. **Financial Proposal:**

Bidders need not include any Financial Proposal as part of their Bid, Financial Proposals will be called separately from the empaneled bidders on as and when required basis from the SPVs under NHIT.

15. **Termination**

- i. Upon finding deficiencies in quality of service/works, NHIT will notify the Agency/firm for rectification. Agency/firm will be given 7 days for rectification in deficiencies in case of nonresponse beyond 10 days, Termination notice may be issued with 10 days of notice.
- ii. If Agency/Firm fails to provide OEM Authorization certificate whenever requested to submit the same.

16. **Legal Entity:** The bidder should be a Legal Entity registered under the Companies Act, 2013 or the Companies Act, 1956 or a Limited Liability Partnership (LLP) registered under the LLP Act, 2008 or Indian Partnership Act 1932.

17. **Procedure for Empanelment of Agencies/Firms**

17.1 Post qualification of the minimum eligibility criteria, the bidder(s) will be selected under the Quality Based Selection method as described in this section and in accordance with the practices of NHIT.

17.2 NHIT proposed to empanel Four Agencies/Firms. NHIT reserves the right to finalize the number of Agency/Firm to be empaneled at its discretion.

17.3 Bidder who scores minimum 70 marks as per Technical Criteria mentioned in Section 4 of this RFE, will be considered Technical Qualified Bidders and will be eligible for Empanelment.

17.4 NHIT retains the authority to determine the award of projects offered to Agency/Firm.

18. **Empanelment with NHIT**

18.1. NHIT proposes to empanel at least 5 (Five) Agencies/Firms for a period of Three years.

18.2. The respective commitment may be extended by further one more year by NHIT subject to satisfactory delivery of services and approval from Competent Authority. Further, NHIT reserves the right to modify the number of Agencies/Firms to be empaneled at its discretion.

19. **Documents to be submitted along with the Bid**

19.1. Either power of attorney or an authority letter from Partner/ Board / Managing Committee of the Bidder entity should be provided for authentication of the authorized signatory signing the Bid document.

19.2. Bid in the form provided in the RFE duly signed by the authorized representative of the bidder on all

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

pages.

19.3. Detailed profile of the Bidder certified by Authorized Signatory of the Bidder.

19.4. Documents in support of the claims of Bidder regarding eligibility/ experience duly signed by the authorized representative of the bidder on all pages. NHIT may ask for 3rd. party certificates from the Bidder(s), at a later stage.

19.5. Undertaking in the format provided in the RFE duly signed by the authorized representative of the bidder on all pages.

20. **Key Terms and Conditions of Empanelment**

20.1. NHIT reserves the right to curtail or extend the validity period of empanelment of Agencies/Firm Firms.

20.2. NHIT will have the right to remove any Empaneled Agencies/Firms from the empaneled list without assigning any reason whatsoever and without any cost & compensation therefore SPVs under NHIT also reserves the right to replace/remove/ appoint any new empaneled bidder as the Agencies/Firms for an ongoing or future Transaction at any stage of the Transaction or Empanelment Period.

20.3. The Empaneled Agencies/Firms are expected to maintain high level of professional ethics and will not act in any manner, which is detrimental to NHIT's Interest.

20.4. Each Empaneled Agencies/Firms will maintain confidentiality on matters disclosed.

20.5. The reports/ opinions/ presentations submitted by Empaneled Agencies/Firms as part of its Services shall be the property of the NHIT-entities and it can be repeatedly used by NHIT-entities for its disclosed and undisclosed purposes.

21. **Dispute Resolution**

Any dispute arising out of the RFE, which cannot be amicably settled between the parties, shall be referred to arbitration in accordance with the Arbitration and Conciliation Act, 1996 through a panel of three arbitrators, with each of SPV under NHIT and the remaining disputing party(ies) appointing one arbitrator and the two arbitrators so appointed appointing a third arbitrator. Provided that in the event that any disputing parties fail to appoint an arbitrator within 15 days from the dispute being referred to arbitration, the other parties shall be at liberty to appoint an arbitrator for such disputing party(ies) and such appointment shall be final and binding on the other disputing parties. The venue of the arbitration shall be at New Delhi.

22. **Indemnification:**

The Agency shall hold the NHIT and SPVs under NHIT harmless and shall indemnify the same against all claims, penalties, fines, losses, damages, costs and proceedings arising from the breach or contravention of any laws, rules and regulations referred to in this order.

23. **Anti-Bribery & Corruption (ABC) Policy:**

It is our policy to conduct all our business in an honest and ethical manner. We take a zero-tolerance approach to Bribery and Corruption and are committed to acting professionally, fairly and with integrity in all our business dealings and relationships wherever we operate and implementing and enforcing effective systems to counter bribery. Requested to report improper demands from the NHIT Employees. You may address the same through email at whistleblow@nhit.co.in.

24. **Force Majeure:**

A Force Majeure (FM) means extraordinary events or circumstance beyond human control such as an event described as an act of God (like a natural calamity) or events such as a war, strike, riots, crimes (but not including negligence or wrong-doing, predictable/seasonal rain and any other events specifically excluded in the clause). In the case of an FM, the contract frees both parties (NHIT & the Agency/Firm) from contractual liability or obligation when prevented by such events from fulfilling their obligations under the contract.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

However, this does not excuse a party's non-performance entirely, but only suspends it for the duration of the FM. The parties have to give notice of FM as soon as it occurs, and it cannot be claimed ex-post facto. If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of FM for a period exceeding 90 (Ninety) days, NHIT may at its option terminate the contract without any financial repercussion on the other side.

Notwithstanding the punitive provisions contained in the contract for delay or breach of contract, the Agency/Firm would not be liable for imposition of any such sanction so long as the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event covered in the FM clause.

25. **Governing Law and Jurisdiction**

This RFE and the subsequent agreement between the parties shall be interpreted by and shall be governed and construed in accordance with the laws of India. The Courts at New Delhi, India shall have sole jurisdiction over all matters arising out of or relating to this agreement.

26. **MSME Agency/Firm:**

Bidder shall confirm if they are/are not registered as Micro Enterprise/ Small Enterprise/ Medium Enterprise. The registered Bidder shall submit Registration no. along with Registration Certificate issued. The bidder shall also confirm that any change in Status of their organization under the above Act shall be duly informed by NHIT. Any failure on their part in informing them about the changed status shall be the sole responsibility of Bidder.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Section 3: Scope of Works

Description

1. Retro-Reflectorised Traffic Signs: Providing and Fixing of Widening Road (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and information sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
2. Retro-Reflectorised Traffic Signs: Providing and Fixing of Median Opening Sign Board (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
3. Retro-Reflectorised Traffic Signs: Providing and Fixing of Pedestrian Crossing Signs (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
4. Retro-Reflectorised Traffic Signs: Providing and Fixing of Narrow Bridge Ahead (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
5. Retro-Reflectorised Traffic Signs: Providing and Fixing of Both side road (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
6. Retro-Reflectorised Traffic Signs: Providing and Fixing of Built up area board (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
7. Retro-Reflectorised Traffic Signs: Providing and Fixing of Bus Lay Bye_600x800mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.

8. Retro-Reflectorised Traffic Signs: Providing and Fixing of Cross Road (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.
9. Retro-Reflectorised Traffic Signs: Providing and Fixing of Facility Sign Board_600x800mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.
10. Retro-Reflectorised Traffic Signs: Providing and Fixing of Height limit board_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.
11. Retro-Reflectorised Traffic Signs: Providing and Fixing of Lane Merge (90 cm Equi. Triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.
12. Retro-Reflectorised Traffic Signs: Providing and Fixing of Left side road (90 cm Equi. Triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.
13. Retro-Reflectorised Traffic Signs: Providing and Fixing of Left Curve (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheetting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheetting from the original sheetting manufacturer be submitted by the contractor.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

14. Retro-Reflectorised Traffic Signs: Providing and Fixing of STOP Sign Boards (90 cm height Octagon) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
15. Retro-Reflectorised Traffic Signs: Providing and Fixing of Major Road Ahead (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
16. Retro-Reflectorised Traffic Signs: Providing and Fixing of No Parking_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
17. Retro-Reflectorised Traffic Signs: Providing and Fixing of Petrol pump_600x800mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
18. Retro-Reflectorised Traffic Signs: Providing and Fixing of Right hand curve (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
19. Retro-Reflectorised Traffic Signs: Providing and Fixing of Right side road (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
20. Retro-Reflectorised Traffic Signs: Providing and Fixing of Rumble strip (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

21. Retro-Reflectorised Traffic Signs: Providing and Fixing of Service road End_600x900mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
22. Retro-Reflectorised Traffic Signs: Providing and Fixing of Service road Start_600x900mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
23. Retro-Reflectorised Traffic Signs: Providing and Fixing of Speed breaker (90 cm equilateral triangle) Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
24. Retro-Reflectorised Traffic Signs: Providing and Fixing of Speed Limit 40_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
25. Retro-Reflectorised Traffic Signs: Providing and Fixing of Speed Limit 60_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
26. Retro-Reflectorised Traffic Signs: Providing and Fixing of Speed Limit 80_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
27. Retro-Reflectorised Traffic Signs: Providing and Fixing of U turn Prohibited_900mm Circle Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

frame of 35x35x5mm mild steel angle as approved, fixed over 76.1mm OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 60 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

28. Retro-Reflectorised Traffic Signs: Providing and Fixing of Helpline Number Board 1033_1800x2400mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
29. Retro-Reflectorised Traffic Signs: Providing and Fixing of Truck lay bye_2058x1350mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
30. Retro-Reflectorised Traffic Signs: Providing and Fixing of Speed Limit 60 & 80_3000x1800mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
31. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 2168x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
32. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 2175x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
33. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 2189x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
34. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 2235x2056mm Sign boards

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

35. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2260x2056mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
36. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2335x2056mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
37. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2385x2056mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
38. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2421x2056mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
39. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2450x2056mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
40. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_ Size 2451x3041mm Sign boards retro-reflectorized cautionary, mandatory and informative sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	---

Description

for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

41. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 2668x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
42. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 2742x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
43. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _ Size 2742x3401mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
44. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 2893x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
45. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 2963x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
46. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 3122x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
47. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board _Size 3272x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	---

Description

painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

48. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 3333x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
49. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 3412x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
50. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 3500x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
51. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 3528x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
52. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 3528x3401mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
53. Retro-Reflectorised Traffic Signs: Providing and Fixing of Advance Direction board_Size 4516x2056mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
54. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1519x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

55. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1543x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
56. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1598x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
57. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1730x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
58. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1747x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
59. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1771x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
60. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 1813x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

61. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 2078x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
62. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 2185x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
63. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 2483x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
64. Retro-Reflectorised Traffic Signs: Providing and Fixing of Village Board_Size 2618x858mm Sign boards retro-reflectorized cautionary, mandatory and informatory sign as per IRC:67 made with type XI micro prismatic grade 3M reflecting sheeting as per design of IRC-67-2022, fixed over 4mm thick ACP sheet supported with Back support frame of 35x35x5mm mild steel angle as approved, fixed over 88.9 OD Medium Duty circular pipe with painted 1st quality paint etc, firmly fixed to the ground by means of properly designed foundation with M20 grade cement concrete 45 cm X 45 cm X 80 cm , 60 cm below ground level as per approved drawing. 10 years Warranty for Retro Reflective Sheeting from the original sheeting manufacturer be submitted by the contractor.
65. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards Toll Rates Board_English_ Size 7500x3500mm made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.
66. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards (Toll Rates Board_English_ Size 7500x3500mm) made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.
67. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards Toll Exemption Details_English_ Size 8000x6100mm made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Description

foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.

68. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards Toll Exemption Details_Hindi_Size 8000x6100mm made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.

69. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards Toll Information Details English_7000x3660mm made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.

70. Supply & Fixing of Retro Reflectorized Toll Plaza Sign Boards Toll Information Details Hindi_7000x3660mm made out of 4mm thick ACP Sheet and riveted on MS Angle iron frame of size 50x50x5 mm. The face of ACP Sheet is Fully covered by 3M Retro reflective sheeting having the coefficient of Retro Reflection determined in accordance with type XI ASTM D4956-09 standards. This Structure is as fixing provision to as per suitable site conditions fixed in a foundation of M20 grade concrete and having dimension 600x600x1500 mm Front and 900x900x1200mm Back foundation all complete as per Technical Specification Clause 801 and as directed by the engineer. Including cost for materials, fabrication, transportation, lead & lift, manpower etc., all complete in subcontractor scope.

- All materials, machinery, Labor shall be scope of vendor.
- All tests for material as per Morth specification shall be in the scope of Agency/Firm.
- Above Items are for representation purposes only, Financial quotes will be requested as per actual requirements of project site as and when required basis.

3.1 The work shall be executed with due diligence, adhering to environmental and safety measures, and ensuring compliance with the project's specifications and MoRTH standards.

All costs towards transport, handling, hoisting, storage, watch and ward for all the materials procured for use in the Works, including all the equipment, labour, machinery, tools and tackles required for the Works and other Works as per needs from time to time shall be included in the Quoted Price and no extra claim on account of these charges will be entertained.

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Section 4: Form of Technical Proposal

(On the letter head of the bidder)

To,

Shri Sandeep Khosa, GM (Procurement)

NHIT Western Projects Private Limited, SPV under NHIT

Unit No.: 324, 3rd Floor, D21 – Corporate Park, Sector-21,

Dwarka, New Delhi-110077.

E mail: tender@nhit.co.in

Sub: Request for Empanelment (“RFE”) issued by National Highways Infra Trust (NHIT) for Empanelment of Agencies/Firms for Supply and Installation of Signboards at Projects under SPVs of NHIT.

Section A: General Information

- I. Profile of the organization with full particulars of the constitution, ownership and business activities of the prospective Agency/Firm.
- II. Commitment(s) which shall act either as a constraint or as a conflicting interest in the proposed assignment (if any).

Section B: Technical Information

Sr. No.	Evaluation criteria & scoring guidance	Maximum Points
1	Minimum 05 Years’ Experience in Supply and Installation of Signboards at Highways Projects:	25
	5 Years to 7 Years: 10 Marks	
	> 7 Years to 10 Years: 20 Marks	
	> 10 Years: 25 Marks	
2	Cumulative Turnover for Last Three year from Similar works:	25
	7.5 Crore to 10 Crore: 15 Marks	
	>10 Crore to 15 Crore: 20 Marks	
	> 15 Crore: 25 Marks	
	<u>Documents Required:</u> Completion certificate	
3	Number of Highway Projects completed in last 3 years – Minimum 10 Projects	30
	10 to 15 Projects – 10 Marks	
	16 to 20 Projects – 20 Marks	
	21 or More Projects – 30 Marks	
4	Number of Employees – Minimum 15 Employees	20
	15 to 20 Employees – 10 Marks	
	21 to 30 Employees – 15 Marks	
	31 or More Employees – 20 Marks	
	Total Technical Score	100

• **Minimum Qualifying marks shall be 70 marks.**

We accept all the terms & conditions mentioned in the RFE. In the event of any contradiction in the terms and conditions mentioned in the RFE and our proposal/ offer to NHIT’s decision shall prevail.

**Name & Signature of Bidder’s
Authorized Signatory**

Date

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

Section 5: Undertakings

(On the letter head of the bidder)

To be provided with the technical bid

We undertake that: -

1. The proposal submitted hereunder shall remain valid for a period of at least 120 days from the last date for submission of proposal.
2. The Bidder has not been banned/ blacklisted/ de-listed/ disqualified/ debarred by any organization/ government agency/ quasi-government agency/ PSU to participate in their tenders for empanelment. We further certify that there is no investigation pending against us or the CMD/CEO/Directors of our Company and no action has been initiated against us/ our Directors by CVC/ RBI or any other government/ statutory agency with regard to any financial irregularities.
3. The Bidder does not have any conflict of interest which is prejudicial to the scope of services. Further, the bidder will ensure that no such business or professional activities will be carried out by it, which may affect the interest of NHIT.
4. The Bidder has adequate infrastructure, personnel, resources to carry out the required Services and are eligible for acting as Financial/ Agencies/Firm. The Bidder has understood the scope of services properly and shall comply with the terms of engagement.
5. No bankruptcy/ liquidation proceedings have been initiated against the Bidder by any entity/ government agency/ quasi-government agency/ PSU and there is no material case/ proceeding against the Bidder/ its Directors that is likely to have significant impact on its business as Empaneled Bidder / Appointed Agencies/Firms or on its deliverables pursuant to this bid/ RFE.
6. All the information submitted as part of the Bid is true and correct.

We accept all the terms & conditions mentioned in the RFE. In the event of any contradiction in the terms and conditions mentioned in the RFE and our proposal/ offer to NHIT-entities, the NHIT's decision shall prevail.

Signature(s) and name(s) of the Authorized Signatory with Seal Date:

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	---

Annexure I – List of Current Projects

Sr. N.	Project	Toll Plaza	Latitude	Longitude
1	Kothakota – Kurnool	Pullur	16.2176	78.1391
2	Chittorgarh Kota Project	Aroli	25.3465	75.2707
3	Chittorgarh Kota Project	Dhanswar	25.2376	75.7106
4	Chittorgarh Kota Project	Bassi	24.8587	74.9318
5	Belgam – Kagal	Hattargi	16.4917	74.6858
6	Belgam – Kagal	Kognoli	16.3998	74.5483
7	Palanpur – Aburoad – Swaroopganj	Khemana	24.1573	72.4604
8	Palanpur – Aburoad – Swaroopganj	Undavariya	24.5798	73.2907
9	Agra Bypass Project	Raibha	27.1595	77.7584
10	Shivpuri Jhansi Project	Raksha	25.6103	78.5402
11	Borkhedi – Wadner	Darodha	20.4798	78.8369
12	Borkhedi – Wadner	Kelapur	19.8568	78.8931
13	Rewa Jabalpur Katni Lakhnadon	Mohtara	23.258	79.8353
14	Rewa Jabalpur Katni Lakhnadon	Odhaki	24.8205	81.948
15	Rewa Jabalpur Katni Lakhnadon	Boharipara	23.2759	80.0191
16	Rewa Jabalpur Katni Lakhnadon	Kherwasani	24.4561	80.7593
17	Lakhnadon – Mahagaon – Khawasa	Madai	22.5946	79.6007
18	Lakhnadon – Mahagaon – Khawasa	Khawasa	21.8253	79.4293
19	Orai – Bara	Usaka	26.1666	79.7264
20	Hubli – Haveri – Davangere – Chitradurga	Bankapur	14.894	75.2704
21	Hubli – Haveri – Davangere – Chitradurga	Chalageri	14.6887	75.7396
22	Hubli – Haveri – Davangere – Chitradurga	Hebalu	14.4394	75.908
23	Chichira – Kharagpur	Balibhasa	22.4571	86.9841
24	Kachugaon to Rakhalbudi	Patgaon	26.4746	90.2979
25	Rakhalbudi Bus Junction to Kaljhar	Dahalapara	26.5067	90.6441
26	Kaljhar to Patacharkuchi	Galia	26.4787	91.1083
27	Muzafarnagar – Haridwar	Bahadrabad	29.9117	78.1427
28	Muzafarnagar – Haridwar	Chhapar	29.5016	77.6951
29	Bareilly – Sitapur	Faridpur	28.2167	79.55
30	Bareilly – Sitapur	Maigalganj	27.45	80.6333
31	Raipur – Simga	Tarpongi	21.4834	81.743
32	Simga to Bilaspur	Bhojpuri	21.65	82.3
33	Simga to Bilaspur	Mudipar	21.7854	82.1711
34	Chittoor to Mallavaram	Gadanki	13.3302	79.1667
35	TN/AP Border to Nalagampalli	Mahasamudram	13.2712	78.5653
36	Narasannapeta to Ranasthalam	Madapam	18.3766	84.1406
37	Anandapuram to Hanumanthavaka (VSP)	Nathavalasa	18.0439	83.4873
38	Anandapuram to Hanumanthavaka (VSP)	Fee Plaza	17.748	83.3168

National Highways Infra Trust

 National Highways Infra Trust	Request for Empanelment of Agencies/Firms for Supply & Installation Signboards	Doc No.: NHIT/FY25-26/ RFE /Signboards
--	---	--

39	Anandapuram – Pendurthi – Anakapalle	Dukkavanipalem	17.7667	83.3
40	Anandapuram – Pendurthi – Anakapalle	Marripalem	17.7435	83.3117
41	Gundugolanu – DevarapalliKovvuru	Veeravalli	17.016	81.572
42	Gandhidham (Kandla) to Mundra Port	Mokha	22.8397	69.7194

- Empaneled Vendor will be considered for present and upcoming projects of SPVs under NHIT during the empanelment period.